Journal of MOLECULAR BIOLOGY

EDITOR-IN-CHIEF
J. C. KENDREW

ASSISTANT EDITOR
S. BRENNER

EDITORIAL BOARD
M. L. Birnstiel
J. M. Bishop
C. R. Cantor
L. Caro
G. N. Cohen
D. M. Crothers
J. E. Darnell
W. F. Dove
G. A. Gilbert
W. Gilbert
A. Klug
D. E. Koshland
S. Lowey
D. Nathans
D. C. Phillips
C. M. Radding
F. M. Richards
T. Staehelin
G. M. Tomkins
P. M. B. Walker

QH301
J73

VOLUME 84
25 March 1974 to 25 April 1974

ACADEMIC PRESS
LONDON NEW YORK SAN FRANCISCO

Copyright © 1974, by Academic Press Inc. (London) Ltd

ALL RIGHTS RESERVED

No part of this volume may be reproduced in any form, by photostat, microfilm, or any other means, without written permission from the publishers.

Printed in Great Britain

CONTENTS OF VOLUME 84

Number 1, 25 March 1974

Helmstetter C. E., Initiation of Chromosome Replication in *Escherichia coli*. I. Requirements for RNA and Protein Synthesis at Different Growth Rates 1

Helmstetter, C. E., Initiation of Chromosome Replication in *Escherichia coli*. II. Analysis of the Control Mechanism 21

Maniatis, T., Venable, J. H., Jr, and Lerman, L. S., The Structure of Ψ DNA 37

Christiansen, C., Christiansen, G. and Bak, A. L., Heterogeneity of Mitochondrial DNA from *Saccharomyces carlsbergensis:* Renaturation and Sedimentation Studies 65

Marvaldi, J., Pichon, J., Delaage, M. and Marchis-Mouren, G., Individual Ribosomal Protein Pool Size and Turnover Rate in *Escherichia coli* . . 83

Schmid, M. F., Lattman, E. E. and Herriott, J. R., The Structure of Bovine Carboxypeptidase B: Results at 5·5 Ångström Resolution . . . 97

Cirotto, C. and Geraci, G., Exposed Sulphydryl Groups of Chicken Haemoglobins: Globin Localization and Effect of Oxygenation on their Reactivity 103

Wilson, D. A. and Thomas, C. A., Jr., Palindromes in Chromosomes . . 115

Appendix: Hamer D. H. and Thomas C. A., Jr, Palindrome Theory . 139

McElhaney, R. N., The Effect of Alterations in the Physical State of the Membrane Lipids on the Ability of *Acholeplasma laidlawii* B to grow at Various Temperatures 145

Kreider, G. and Brownstein, B. L., Pleiotropic Effects Resulting from Mutations in Genes for Ribosomal Proteins: Analysis of Revertants from Streptomycin Dependence 159

Egyházi, E., A Tentative Initiation Inhibitor of Chromosomal Heterogeneous RNA Synthesis 173

van Duin, J. and van Knippenberg, P. H., Functional Heterogeneity of the 30 S Ribosomal Subunit of *Escherichia coli*. III. Requirements of Protein S1 for Translation 185

Pigiet, V., Eliasson, R. and Reichard, P., Replication of Polyoma DNA in Isolated Nuclei. III. The Nucleotide Sequence at the RNA–DNA Junction of Nascent Strands 197

Letters to the Editor

Taylor, J. M., Varmus, H. E., Faras, A. J., Levinson, W. E. and Bishop, J. M., Evidence for Non-repetitive Subunits in the Genome of Rous Sarcoma Virus 217

Gautschi, J. R., Effects of Puromycin on DNA Chain Elongation in Mammalian Cells 223

Number 2, 5 April 1974

Fenna, R. E., Matthews, B. W., Olson, J. M. and Shaw, E. K., Structure of a Bacteriochlorophyll-protein from the Green Photosynthetic Bacterium *Chlorobium limicola*: Crystallographic Evidence for a Trimer . . . 231

Wabl, M. R., Electron Microscopic Localization of Two Proteins on the Surface of the 50 S Ribosomal Subunit of *Escherichia coli* using Specific Antibody Markers 241

Deusser, E., Weber, H. J. and Subramanian, A. R., Variations in Stoichiometry of Ribosomal Proteins in *Escherichia coli* 249

Dubin, D. T., Methylated Nucleotide Content of Mitochondrial Ribosomal RNA from Hamster Cells 257

Dingman, C. W., Fisher, M. P. and Ishizawa, M., DNA Replication in *Escherichia coli*: Physical and Kinetic Studies of the Replication Point . 275

Ninio, J., A Semi-quantitative Treatment of Missense and Nonsense Suppression in the *str*A and *ram* Ribosomal Mutants of *Escherichia coli*: Evaluation of some Molecular Parameters of Translation *in vivo* 297

Shimizu, N. and Hayashi, M., *In vitro* Transcription of the Tryptophan Operon Integrated into a Transducing Phage Genome 315

Nagano, K., Logical Analysis of the Mechanism of Protein Folding. II. The Nucleation Process 337

Announcement 373

Errata 374

NUMBER 3, 15 APRIL 1974

CHANG, S. E. and ISH-HOROWICZ, D., Selective Modification of Cytidine, Uridine, Guanosine and Pseudouridine Residues in *Escherichia coli* Leucine Transfer Ribonucleic Acid 375

TISSIÈRES, A., MITCHELL, H. K. and TRACY, U. M., Protein Synthesis in Salivary Glands of *Drosophila melanogaster:* Relation to Chromosome Puffs . . 389

MACNAB, R. and KOSHLAND, D. E., JR., Bacterial Motility and Chemotaxis: Light-induced Tumbling Response and Visualization of Individual Flagella 399

DENNIS, P. P. and BREMER, H., Differential Rate of Ribosomal Protein Synthesis in *Escherichia coli* B/r 407

HÖLZEL, F. and SOKOL, F., Integration of Progeny Simian Virus 40 DNA into the Host Cell Genome 423

HEREFORD, L. M. and HARTWELL, L. H., Sequential Gene Function in the Initiation of *Saccharomyces cerevisiae* DNA Synthesis 445

LETTER TO THE EDITOR

POGLAZOV, B. F. and LEVSHENKO, M. T., Bacteriophage T4D-induced Proteinase 463

ANNOUNCEMENTS 469

NUMBER 4, 25 APRIL 1974

BARRY, C. D., GLASEL, J. A., WILLIAMS, R. J. P. and XAVIER, A. V., Quantitative Determination of Conformations of Flexible Molecules in Solution using Lanthanide Ions as Nuclear Magnetic Resonance Probes: Application to Adenosine-5′-Monophosphate 471

BARRY, C. D., MARTIN, D. R., WILLIAMS, R. J. P. and XAVIER, A. V., Quantitative Determination of the Conformation of Cyclic 3′,5′-Adenosine Monophosphate in Solution using Lanthanide Ions as Nuclear Magnetic Resonance Probes 491

SCHOEMAKER, H. J. P. and SCHIMMEL, P. R., Photo-induced Joining of a Transfer RNA with its Cognate Aminoacyl-transfer RNA Synthetase . 503

HOY, T. G., HARRISON, P. M. and HOARE, R. J., Quaternary Structure of Apoferritin: The Rotation Function at 9Å Resolution 515

Elkana, Y., Interaction Between the Basic Inhibitor of Bovine Pancreas and Chymotrypsin and Trypsin. Selective Anthraniloylation of the Maleylated Inhibitor 523

Harrison, P. R., Birnie, G. D., Hell, A., Humphries, S., Young, B. D. and Paul, J., Kinetic Studies of Gene Frequency. I. Use of a DNA Copy of Reticulocyte 9 S RNA to Estimate Globin Gene Dosage in Mouse Tissues 539

Young, B. D., Harrison, P. R., Gilmour, R. S., Birnie, G. D., Hell, A., Humphries, S. and Paul, J., Kinetic Studies of Gene Frequency. II. Complexity of Globin Complementary DNA and its Hybridization Characteristics 555

Edström, J.-E. and Tanguay, R., Cytoplasmic Ribonucleic Acids with Messenger Characteristics in Salivary Gland Cells of *Chironomus tentans* 569

Blake, C. C. F. and Evans, P. R., Structure of Horse Muscle Phosphoglycerate Kinase. Some Results on the Chain Conformation, Substrate Binding and Evolution of the Molecule from a 3Å Fourier Map 585

Barbacid, M. and Vazquez, D., [^{3}H]Anisomycin Binding to Eukaryotic Ribosomes 603

Dewey, M. J., Wiberg, J. S. and Frankel, F. R., Genetic Control of Whisker Antigen of Bacteriophage T4D 625

Fainaru, M., Wilson, A. C. and Arnon, R., Correlation of Structural Differences in Several Bird Lysozymes and their Loop Regions with Immunological Cross-reactivity 635

Letters to the Editor

Eisinger, J. and Dale, R. E., Interpretation of Intramolecular Energy Transfer Experiments 643

Wice, M. and Kennell, D., Decay of Messenger RNA from the Tryptophan Operon of *Escherichia coli* as a Function of Growth Temperature . 649

Index to Volume 84

Acholeplasma laidlawii B, effect of alterations in the physical state of the membrane lipids on growth at various temperatures, 145
3′,5′-Adenosine monophosphate, cyclic, lanthanide ions used as NMR probes in quantitative determination of conformation in solution, 491
Adenosine-5′-phosphate, lanthanide ions used as NMR probes in quantitative determination of conformation in solution, 471
Aminoacyl-tRNA synthetase, photo-induced joining with tRNA, 503
[^{3}H]Anisomycin binding to eukaryotic ribosomes, 603
Anthraniloylation, selective, of maleylated basic inhibitor, 523
Antibody markers used to localize two proteins on the surface of *Escherichia coli* 50 S ribosomal subunit by electron microscopy, 241
Antigen, whisker of bacteriophage T4D, genetic control, 625
Apoferritin, rotation function at 9 Å resolution, 515
Arnon, R. (see also Fainaru, M.), 635

Bacterial motility and chemotaxis, 399
Bacteriochlorophyll-protein from *Chlorobium limicola*, crystallographic evidence for a trimer, 231
Bacteriophage genome, transducing, carrying integrated tryptophan operon, transcription *in vitro*, 315
— T4D, genetic control of whisker antigen, 625
— — -induced proteinase, 463
Bak, A. L. (see also Christiansen, C.), 65
Barbacid, M. & Vazquez, D., [^{3}H]Anisomycin binding to eukaryotic ribosomes, 603
Barry, C. D., Glasel, J. A., Williams, R. J. P. & Xavier, A. V., Quantitative determination of conformations of flexible molecules in solution using lanthanide ions as nuclear magnetic resonance probes: application to adenosine-5′-monophosphate, 471
—, Martin, D. R., Williams, R. J. P. & Xavier, A. V., Quantitative determination of the conformation of cyclic 3′,5′-adenosine monophosphate in solution using lanthanide ions as nuclear magnetic resonance probes, 491
Basic inhibitor of bovine pancreas, interaction with trypsin and chymotrypsin, 523
Bird lysozymes and their loop regions, correlation of structural differences with immunological cross-reactivity, 635
Birnie, G. D. (see also Harrison, P. R.), 539
— (see also Young, B. D.), 555
Bishop, J. M. (see also Taylor, J. M.), 127
Blake, C. C. F. & Evans, P. R., Structure of horse muscle phosphoglycerate kinase. Some results on the chain conformation, substrate binding and evolution of the molecule from a 3 Å Fourier map, 585
Bovine carboxypeptidase B structure at 5·5 Å resolution, 97
— pancreas basic inhibitor interaction with trypsin and chymotrypsin, 523
B/r (see *Escherichia coli*), 407
Bremer, H. (see also Dennis, P. P.), 407
Brownstein, B. L. (see also Kreider, G.), 159

Carboxypeptidase B, bovine, structure at 5·5 Å resolution, 97
Chain conformation of horse muscle phosphoglycerate kinase, 585
Chang, S. E. & Ish-Horowicz, D., Selective modification of cytidine, uridine, guanosine and pseudcuridine residues in *Escherichia coli* leucine transfer ribonucleic acid, 375
Chemotaxis, bacterial, 399
Chicken haemoglobin exposed sulphydryl groups, globin localization and effect of oxygenation on their reactivity, 103
Chironomus tentans, cytoplasmic RNAs with messenger characteristics in salivary gland cells, 569
Chlorobium limicola bacteriochlorophyll-protein, crystallographic evidence for a trimer, 231

Christiansen, C., Christiansen, G. & Bak, A. L., Heterogeneity of mitochondrial DNA from *Saccharomyces carlsbergensis*: renaturation and sedimentation studies, 65
Christiansen, G., (see also Christiansen, C.), 65
Chromosome palindromes, 115
— puffs, relationship with protein synthesis in salivary glands of *Drosophila melanogaster*, 389
Chymotrypsin, interaction with bovine pancreas basic inhibitor, 523
Crotto, C. & Geraci, G., Exposed sulphydryl groups of chicken haemoglobins: globin localization and effect of oxygenation on their reactivity, 103
Cytidine, selective modification in *Escherichia coli* leucine tRNA, 375
Cytoplasmic RNAs with messenger characteristics in salivary gland cells of *Chironomus tentans*, 569

Dale, R. E. (see also Eisinger, J.), 643
Delaage, M. (see also Marvaldi, J.), 83
Dennis, P. P. & Bremer, H., Differential rate of ribosomal protein synthesis in *Escherichia coli* B/r, 407
Deoxyribonucleic acid chain elongation in mammalian cells, effects of puromycin, 223
— — copy of reticulocyte 9 S RNA used to estimate globin gene dosage in mouse tissues, 539
— —, integration of progeny SV40 DNA into the host cell genome, 423
— —, mitochondrial, of *Saccharomyces carlsbergensis*, renaturation and sedimentation studies, 65
— — of *Escherichia coli*, physical and kinetic studies of the replication point, 275
— — — globin, complexity and hybridization characteristics, 555
— —, Ψ, structure, 37
— —, polyoma, replication in isolated nuclei, 197
— — synthesis initiation in *Saccharomyces cerevisiae*, sequential gene function, 445
Deusser, E., Weber, H. J. & Subramanian, A. R., Variations in stoichiometry of ribosomal proteins in *Escherichia coli*, 249
Dewey, M. J., Wiberg, J. S. & Frankel, F. R., Genetic control of whisker antigen of bacteriophage T4D, 625
Dingman, C. W., Fisher, M. P. & Ishizawa, M., DNA replication in *Escherichia coli*: physical and kinetic studies of the replication point, 275
Drosophila melanogaster salivary gland protein synthesis, relation to chromosome puffs, 389
Dubin, D. T., Methylated nucleotide content of mitochondrial ribosomal RNA from hamster cells, 257

Edstrom, J.-E. & Tanguay, R., Cytoplasmic ribonucleic acids with messenger characteristics in salivary gland cells of *Chironomus tentans*, 569
Egyházi, E., A tentative initiation inhibitor of chromosomal heterogeneous RNA synthesis, 173
Eisinger, J. & Dale, R. E., Interpretation of intramolecular energy transfer experiments, 643
Electron microscopic localization of proteins on the surface of the 50 S ribosomal subunit of *Escherichia coli* using specific antibody markers, 241
Eliasson, R. (see also Pigiet, V.), 197
Elkana, Y., Interaction between the basic inhibitor of bovine pancreas and chymotrypsin and trypsin. Selective anthraniloylation of the maleylated inhibitor, 523
Escherichia coli B/r, differential rate of ribosomal protein synthesis, 407
— —, chromosome replication initiation, 1, 21
— —, decay of mRNA from the tryptophan operon as a function of growth temperature, 649
— — DNA, physical and kinetic studies of the replication point, 275
— — individual ribosomal protein pool size and turnover rate, 83
— — leucine tRNA, selective modification of cytidine, uridine, guanosine and pseudouridine residues, 375
— — 30 S ribosomal subunit, requirements of protein S1 for translation, 185
— — 50 S ribosomal subunit, electron microscopic localization of two proteins on its surface using specific antibody markers, 241
— — *str*A and *ram* ribosomal mutants, evaluation of some molecular parameters of translation *in vivo*, 297
— —, variations in stoichiometry of ribosomal proteins, 249
Eukaryotic ribosome binding of [^{3}H]anisomycin, 603
Evans, P. R. (see also Blake, C. C. F.), 585

Fainaru, M., Wilson, A. C. & Arnon, R., Correlation of structural differences in several bird lysozymes and their loop regions with immunological cross-reactivity, 635
Faras, A. J. (see also Taylor, J. M.). 217
Fenna, R. E., Matthews, B. W., Olson, J. M. & Shaw, E. K., Structure of a bacteriochlorophyll-protein from the green photosynthetic bacterium *Chlorobium limicola*: crystallographic evidence for a trimer, 231
Fisher, M. P. (see also Dingman, C. W.), 275
Flagella of bacteria, visualization, 399
Fourier map at 3 Å resolution of horse muscle phosphoglycerate kinase, evolution of the molecule, 585
Frankel, F. R. (see also Dewey, M. J.), 625

Gautschi, J. R., Effects of puromycin on DNA chain elongation in mammalian cells, 223
Geraci, G. (see also Cirotto, C.), 103
Gilmour, R. S. (see also Harrison, P. R.), 555
Glasel, J. A. (see also Barry, C. D.), 471
Globin complementary DNA complexity and its hybridization characteristics, 555
— gene dosage in mouse tissues estimated using DNA copy of reticulocyte 9 S RNA, 539
— localization and effect of oxygenation on reactivity of exposed sulphydryl groups of chicken haemoglobins, 103
Guanosine, selective modification in *Escherichia coli* leucine tRNA, 375

Haemoglobin, chicken, exposed sulphydryl groups, 103
Hamer, D. H. & Thomas, C. A., Jr., Palindrome theory, 139
Hamster cell mitochondrial ribosomal RNA, methylated nucleotide content, 257
Harrison, P. M. (see also Hoy, T. G.), 515
Harrison, P. R., Birnie, G. D., Hell, A., Humphries, S., Young, B. D. & Paul, J., Kinetic studies of gene frequency. I. Use of a DNA copy of reticulocyte 9 S RNA to estimate globin gene dosage in mouse tissues, 539
— (see also Young, B. D.), 555
Hartwell, L. H. (see also Hereford, L. M.), 445
Hayashi, M. (see also Shimizu, N.), 315
Hell, A. (see also Harrison, P. R.), 539
— (see also Young, B. D.), 555
Helmstetter, C. E., Initiation of chromosome replication in *Escherichia coli*. I. Requirements for RNA and protein synthesis at different growth rates, 1
— — — — — — — — — . II. Analysis of the control mechanism, 21
Hereford, L. M. & Hartwell, L. H., Sequential gene function in the initiation of *Saccharomyces cerevisiae* DNA synthesis, 445
Herriott, J. R. (see also Schmid, M. F.), 97
Hoare, R. J. (see also Hoy, T. G.), 515
Hölzel, F. & Sokol, F., Integration of progeny Simian virus 40 DNA into the host cell genome, 423
Horse muscle phosphoglycerate kinase structure, 585
Hoy, T. G., Harrison, P. M. & Hoare, R. J., Quaternary structure of apoferritin: the rotation function at 9 Å resolution, 515
Humphries, S. (see also Harrison, P. R.), 539
— (see also Young, B. D.), 555
Hybridization characteristics of globin DNA, 555

Immunological cross-reactivity: correlation with structural differences in bird lysozymes and their loop regions, 635
Inhibitor of initiation of chromosomal heterogeneous RNA synthesis, 173
Initiation inhibitor of chromosomal heterogeneous RNA synthesis, 173
— of chromosome replication in *Escherichia coli*, 1, 21
— — *Saccharomyces cerevisiae* DNA synthesis, sequential gene function, 445
Intramolecular energy transfer experiment interpretation, 643
Ish-Horowicz, D. (see also Chang, S. E.), 375
Ishizawa, M. (see also Dingman, C. W.), 275

Kennel, D. (see also Wice, M.), 649
Kinase, phosphoglycerate of horse muscle, structure, 585
Kinetic studies of *Escherichia coli* DNA replication point, 275
Kinetics of gene frequency, 539, 555
Koshland, D. E., Jr (see also Macnab, R.), 399
Kreider, G. & Brownstein, B. L., Pleiotropic effects resulting from mutations in genes for ribosomal proteins: analysis of revertants from streptomycin dependence, 159

Lanthanide ions used as NMR probes in quantitative determination of conformation of adenosine-5′-phosphate in solution, 471
— — — — — — — — — — — — — — cyclic 3′,5′-adenosine monophosphate in solution, 491
Lattman, E. E. (see also Schmid, M. F.), 97
Lerman, L. S. (see also Maniatis, T.), 37
Leucine tRNA of *Escherichia coli*, selective modification of cytidine, uridine, guanosine and pseudouridine residues, 375
Levinson, W. E. (see also Taylor, J. M.), 217
Levshenko, M. T. (see also Poglazov, B. F.), 463
Light-induced tumbling response in bacteria, 399
Lipids, membrane of *Acholeplasma laidlawii* B, effect of alterations in their physical state on growth at various temperatures, 145
Lysozymes and their loop regions, bird, correlation of structural differences with immunological cross-reactivity, 635

McElhaney, R. N., The effect of alterations in the physical state of the membrane lipids on the ability of *Acholeplasma laidlawii* B to grow at various temperatures, 145
Macnab, R. & Koshland, D. E., Jr, Bacterial motility and chemotaxis: light-induced tumbling response and visualization of individual flagella, 399
Maleylated bovine pancreatic inhibitor, selective anthraniloylation, 523
Mammalian cell DNA chain elongation, effects of puromycin, 223
Maniatis, T., Venable, J. H., Jr & Lerman, L. S., The structure of Ψ DNA, 37
Marchis-Mouren, G. (see also Marvaldi, J.), 83
Martin, D. R. (see also Barry, C. D.), 491
Marvaldi, J., Pichon, J., Delaage, M., & Marchis-Mouren, G., Individual ribosomal protein pool size and turnover rate in *Escherichia coli*, 83
Matthews, B. W. (see also Fenna, R. E.), 231
Membrane lipids of *Acholeplasma laidlawii* B, effect of alterations in their physical state on growth at various temperatures, 145
Messenger characteristics of cytoplasmic RNAs in salivary gland cells of *Chironomus tentans*, 569
— RNA from the tryptophan operon of *Escherichia coli*, decay as a function of growth temperature, 649
Methylated nucleotide content of mitochondrial ribosomal RNA from hamster cells, 257
Missense and nonsense suppression in the *str*A and *ram* ribosomal mutants of *Escherichia coli*; semi-quantitative treatment leading to evaluation of some molecular parameters of translation *in vivo*, 297
Mitchell, H. K. (see also Tissières, A.), 389
Mitochondrial DNA of *Saccharomyces carlsbergensis*, heterogeneity, renaturation and sedimentation studies, 65
— ribosomal RNA from hamster cells, methylated nucleotide content, 257
Motility, bacterial, 399
Mouse tissues, globin gene dosage estimated using DNA copy of reticulocyte 9 S RNA, 539
Muscle phosphoglycerate kinase of horse, structure, 585

Nagano, K., Logical analysis of the mechanism of protein folding. II. The nucleation process, 337
Ninio, J., A semi-quantitative treatment of missense and nonsense suppression in the *str*A and *ram* ribosomal mutants of *Escherichia coli*: evaluation of some molecular parameters of translation *in vivo*, 297
Nonsense and missense suppression in the *str*A and *ram* ribosomal mutants of *Escherichia coli*; semi-quantitative treatment leading to evaluation of some molecular parameters of translation *in vivo*, 297

Nuclear magnetic resonance, lanthanide ions used as probes in quantitative determination of conformation of adenosine-5′-phosphate in solution, 471
— — — — — — — — — — — — — — — — — — cyclic 3′,5′-adenosine monophosphate in solution, 491
Nucleation process during protein folding, 337
Nucleotide, methylated, content of mitochondrial ribosomal RNA from hamster cells, 257
— sequence at the RNA–DNA junction of nascent strands during replication of polyoma DNA in isolated nuclei, 197

Olson, J. M. (see also Fenna, R. E.), 231
Operon, tryptophan, integrated into a transducing phage genome, transcription *in vitro*, 315
— — of *Escherichia coli*, decay of mRNA as a function of growth temperature, 649

Ψ DNA structure, 37
Palindromes in chromosomes, 115
Pancreas, bovine, interaction of its basic inhibitor with trypsin and chymotrypsin, 523
Paul, J. (see also Harrison, P. R.), 539
— (see also Young. B. D.), 555
Photo-induced joining of a tRNA with its cognate aminoacyl-tRNA synthetase, 503
Physical studies of *Escherichia coli* DNA replication point, 275
Pichon, J. (see also Marvaldi, J.), 83
Pigiet, V., Eliasson, R. & Reichard, P., Replication of polyoma DNA in isolated nuclei. III. The nucleotide sequence at the RNA–DNA junction of nascent strands, 197
Pleiotropic effects resulting from mutations in genes for ribosomal proteins, analysis of revertants from streptomycin dependence, 159
Poglazov, B. F. & Levshenko, M. T., Bacteriophage T4D-induced proteinase, 463
Polyoma DNA replication in isolated nuclei, 197
Protein synthesis in salivary glands of *Drosophila melanogaster*, relation to chromosome puffs, 389
Proteinase, bacteriophage T4D-induced, 463
Pseudouridine, selective modification in *Escherichia coli* leucine tRNA, 375
Puromycin effect on DNA chain elongation in mammalian cells, 223

Quaternary structure of apoferritin, rotation function at 9 Å resolution, 515

ram (see *Escherichia coli*), 297
Reichard, P. (see also Pigiet, V.), 197
Renaturation and sedimentation studies of *Saccharomyces carlsbergensis* mitochondrial DNA, 65
Replication point of *Escherichia coli* DNA, physical and kinetic studies, 275
Reticulocyte 9 S RNA, DNA copy used to estimate globin gene dosage in mouse tissues, 539
Ribonucleic acid, a tentative initiation inhibitor of chromosomal heterogeneous RNA synthesis, 173
— — and protein synthesis requirements at different growth rates in *Escherichia coli*, 1
— — –DNA junction nucleotide sequence in nascent strands during replication of polyoma DNA in isolated nuclei, 197
— —, messenger from the tryptophan operon of *Escherichia coli*, decay as a function of growth temperature, 649
— — of hamster cells, mitochondrial ribosomal, methylated nucleotide content, 257
— —, reticulocyte 9 S DNA copy used to estimate globin gene dosage in mouse tissues, 539
— —, transfer for leucine of *Escherichia coli*, selective modification of cytidine, uridine, guanosine and pseudouridine residues, 375
— — —, photo-induced joining with its cognate aminoacyl-tRNA synthetase, 503
— acids, cytoplasmic, with messenger characteristics in salivary gland cells of *Chironomus tentans*, 569
Ribosomal mutants *str*A and *ram* of *Escherichia coli*, evaluation *in vivo*, 297
— protein genes, pleiotropic effects resulting from mutations, analysis of revertants from streptomycin dependence, 159
— — pool size and turnover rate in *Escherichia coli*, 83
— — synthesis, differential rate in *Escherichia coli* B/r, 407

— proteins in *Escherichia coli*, variations in stoichiometry, 249
— RNA, mitochondrial, from hamster cells, methylated nucleotide content, 257
— subunit, 30 S, of *Escherichia coli*, requirements of protein S1 for translation, 185
— —, 50 S, of *Escherichia coli*, electron microscopic localization of two proteins on its surface using specific antibody markers, 241
Ribosome, eukaryotic, binding of [^{3}H]anisomycin, 603
Rotation function of apoferritin at 9 Å resolution, 515
Rous sarcoma (see Virus), 217

S1 protein requirements during translation of *Escherichia coli* 30 S ribosomal subunit, 185
Saccharomyces carlsbergensis mitochondrial DNA heterogeneity, renaturation and sedimentation studies, 65
— *cerevisiae* DNA synthesis initiation, sequential gene function, 445
Salivary gland cells of *Chironomus tentans* containing cytoplasmic RNAs with messenger characteristics, 569
— glands of *Drosophila melanogaster* protein synthesis, relation to chromosome puffs, 389
Schimmel, P. R. (see also Schoemaker, H. J. P.), 503
Schmid, M. F., Lattman, E. E. & Herriott, J. R., The structure of bovine carboxypeptidase B: results at 5·5 Ångström resolution, 97
Schoemaker, H. J. P. & Schimmel, P. R., Photo-induced joining of a transfer RNA with its cognate aminoacyl-transfer RNA synthetase, 503
Sedimentation and renaturation studies of *Saccharomyces carlsbergensis* mitochondrial DNA, 65
Shaw, E. K. (see also Fenna, R. E.), 231
Shimizu, N. & Hayashi, M., *In vitro* transcription of the tryptophan operon integrated into a transducing phage genome, 315
Simian (see Virus), 423
Sokol, F. (see also Hölzel, F.), 423
Stoichiometry, variations in *Escherichia coli* ribosomal proteins, 249
*str*A (see *Escherichia coli*), 297
Streptomycin dependence, analysis of revertants, pleiotropic effects resulting from mutants in genes for ribosomal proteins, 159
Subramanian, A. R. (see also Deusser, E.), 249
Substrate binding of horse muscle phosphoglycerate kinase, 585
Sulphydryl groups, exposed, of chicken haemoglobins, globin localization and effect of oxygenation on their reactivity, 103
Synthetase for aminoacyl-tRNA, photo-induced joining with tRNA, 503

T4D (see Bacteriophage), 463, 625
Tanguay, R. (see also Edström, J.-E.), 569
Taylor, J. M., Varmus, H. E., Faras, A. J., Levinson, W. E. & Bishop, J. M., Evidence for non-repetitive subunits in the genome of Rous sarcoma virus, 217
Temperature, decay of mRNA of tryptophan operon of *Escherichia coli* as a function of growth temperature, 649
Thomas, C. A., Jr (see also Hamer, D. H.), 139
— (see also Wilson, D. A.), 115
Tissières, A., Mitchell, H. K. & Tracy, U. M., Protein synthesis in salivary glands of *Drosophila melanogaster*: relation to chromosome puffs, 389
Tracy, U. M. (see also Tissières, A.), 389
Transcription of the tryptophan operon integrated into a transducing phage genome *in vitro*, 315
Transducing phage genome carrying integrated tryptophan operon, transcription *in vitro*, 315
Transfer RNA for leucine of *Escherichia coli*, selective modification of cytidine, uridine, guanosine and pseudouridine residues, 375
— —, photo-induced joining with its cognate aminoacyl-tRNA synthetase, 503
Translation *in vivo*, evaluation of some molecular parameters in *Escherichia coli str*A and *ram* ribosomal mutants, 297
— of *Escherichia coli* 30 S ribosomal subunit, S1 protein requirements, 185
Trypsin, interaction with bovine pancreas basic inhibitor, 523
Tryptophan operon integrated into a transducing phage genome, transcription *in vitro*, 315
— — of *Escherichia coli*, decay of mRNA as a function of growth temperature, 649
Tumbling response in bacteria, light-induced, 399

Uridine, selective modification in *Escherichia coli* leucine tRNA, 375

VAN DUIN, J. & VAN KNIPPENBERG, P. H., Functional heterogeneity of the 30 S ribosomal subunit of *Escherichia coli*. III. Requirements of protein S1 for translation, 185
VAN KNIPPENBERG, P. H. (see also VAN DUIN, J.), 185
VARMUS, H. E. (see also TAYLOR, J. M.), 217
VAZQUEZ, D. (see also BARBACID, M.), 603
VENABLE, J. H., JR (see also MANIATIS, T.), 37
Virus, Rous sarcoma, evidence for non-repetitive subunits in its genome, 217
—, SV40, integration of progeny DNA into the host cell genome, 423

WABL, M. R., Electron microscopic localization of two proteins on the surface of the 50 S ribosomal subunit of *Escherichia coli*, using specific antibody markers, 241
WEBER, H. J. (see also DEUSSER, E.), 249
Whisker antigen of bacteriophage T4D, genetic control, 625
WIBERG, J. S. (see also DEWEY, M. J.), 625
WICE, M. & KENNELL, D., Decay of messenger RNA from the tryptophan operon of *Escherichia coli* as a function of growth temperature, 649
WILLIAMS, R. J. P. (see also BARRY, C. D.), 471
— (see also BARRY, C. D.), 491
WILSON, A. C. (see also FAINARU, M.), 635
WILSON, D. A. & THOMAS, C. A., JR, Palindromes in chromosomes, 115

XAVIER, A. V. (see also BARRY, C. D.), 471, 491
X-ray crystallography of *Chlorobium limicola* bacteriochlorophyll protein, evidence for trimer, 231

YOUNG, B. D., HARRISON, P. R., GILMOUR, R. S., BIRNIE, G. D., HELL, A., HUMPHRIES, S. & PAUL, J., Kinetic studies of gene frequency. II. Complexity of globin complementary DNA and its hybridization characteristics, 555
— (see also HARRISON, P. R.), 539